

Platinum Plus

Superior's O/S Platinum Plus process ink is the best choice for the sheetfed printer who is serious about meeting the challenges of top quality and on time delivery in today's highly competitive market.

O/S Platinum Plus inks are manufactured using 25% bio-renewable raw materials and are formulated to provide outstanding performance on today's high speed perfecting presses with stable ink / water balance, excellent rub resistance, dot reproduction and high gloss.

Fast setting speeds allow the printer to run with little spray powder while meeting the demanding production schedules in today's fast-paced manufacturing environments. The **Platinum Plus** series' stay open properties mean less digging inks out of the fountains and more time printing.

Using fine pigment dispersions, the **Platinum Plus** series inks allow for consistent color stability during extended press runs.

O/S Platinum Plus process inks have been formulated to conform to the ISO 2846-1 standard allowing the printer to achieve a variety of today's print conditions (ISO 12647-2, G7, GRACoL, etc.) in the pressroom.

O/S Platinum Plus

Gloss / Coated	Matte /Dull Coated	Uncoated Offset	Board	Print Sharpness	Rheology Body	Work & Turn	Stay Open	Rub Resistance	High Gloss	UV/AQ Coatable*	Stampable*																					
○○○	○○	○○○	○○	○○○	Medium	○○○	Roller	○○○	○○○	○○○	○○○																					
<table border="1"> <thead> <tr> <th colspan="2">Ink Numbers</th> </tr> </thead> <tbody> <tr> <td>AE-3111</td> <td>Process Black</td> </tr> <tr> <td>MBE-9874</td> <td>Process Cyan</td> </tr> <tr> <td>DRE-2878</td> <td>Process Magenta</td> </tr> <tr> <td>YC-5057</td> <td>Process Yellow</td> </tr> </tbody> </table>					Ink Numbers		AE-3111	Process Black	MBE-9874	Process Cyan	DRE-2878	Process Magenta	YC-5057	Process Yellow	<table border="1"> <thead> <tr> <th colspan="2">Specs</th> </tr> </thead> <tbody> <tr> <td>Tack*</td> <td>12.5 - 14.0</td> </tr> <tr> <td>Viscosity**</td> <td>350 - 450</td> </tr> </tbody> </table>		Specs		Tack*	12.5 - 14.0	Viscosity**	350 - 450	<table border="1"> <thead> <tr> <th colspan="2">Legend</th> </tr> </thead> <tbody> <tr> <td>○</td> <td>Suitable</td> </tr> <tr> <td>○○</td> <td>Recommended</td> </tr> <tr> <td>○○○</td> <td>Highly Recommended</td> </tr> </tbody> </table>		Legend		○	Suitable	○○	Recommended	○○○	Highly Recommended
Ink Numbers																																
AE-3111	Process Black																															
MBE-9874	Process Cyan																															
DRE-2878	Process Magenta																															
YC-5057	Process Yellow																															
Specs																																
Tack*	12.5 - 14.0																															
Viscosity**	350 - 450																															
Legend																																
○	Suitable																															
○○	Recommended																															
○○○	Highly Recommended																															

*Allow a minimum of 48 hours

*Using an electronic inkometer @ 800 RPM **Reading taken on a AR Viscometer



Modern Technology / Old Fashioned Service™
since 1918

100 North Street • Teterboro, NJ 07608
Telephone: 877.525.1918